

How to treat a tick bite with HOMEOPATHY

This information is not intended to diagnose or prescribe any medical condition.
Please seek the advice of a physician.

| Prevention | TICK BITES | EARLY LYME |
|--|---|---|
| <p>Use essential oils tick & bug repellent. Lemongrass, citronella, and geranium oils are good for repelling ticks.</p> <p>Stay out of leafy piles, tall grass, and areas endemic for ticks.</p> <p>Immediately upon returning home put all clothes and shoes in the dryer on high for 15-20 minutes.</p> <p>Do a thorough tick check and check all crevices, behind the ears, throughout your head, private area, and behind your knees.</p> <p>Shower and check for ticks again.</p> | <p>Joette Calabrese's Treatment Protocol (joettecalabrese.com)</p> <p>Use this protocol for new tick bites and tick bites that have been discovered within a week.</p> <p>DAY 1: Ledum palustre 200c dosed every 3 hours</p> <p>DAYS 2-8: Ledum palustre 2x per day for a week.</p> <p>For a month: Ledum palustre 2x per week.</p> <p>For second month: Ledum palustre 1x a week.</p> <p>Sources for homeopathy: Amazon, Boiron, hahnemannlabs.com or homeopathyworks.com</p> <p>These remedies are safe for children & pregnant women. Children and adults should follow the same dosing instructions.</p> | <p>Joette Calabrese's Treatment Protocol (joettecalabrese.com)</p> <p>Use this protocol for tick bites that are older than a week and/or tick bites that are producing symptoms such as rash, fever, pain.</p> <p>DAY 1: Ledum palustre 200c dosed every 3 hours</p> <p>If the tick was discovered in the last few days add: Hypericum perforatum 30c and Arsenicum album 200ck</p> <p>DAYS 2-8: Ledum palustre 2x per day.</p> <p>For a month: Ledum palustre 2x per week.</p> <p>For second month: Ledum palustre 1x a week.</p> <p>In cases of older tick bites use the first two remedies with Borrelia 30C or Lyme Nosode 30C.</p> <p>Late stage Lyme requires the treatment of a seasoned homeopath.</p> <p>These remedies are safe for children & pregnant women. Children and adults should follow the same dosing instructions.</p> |

How to treat a tick bite with HERBS

This information is not intended to diagnose or prescribe any medical condition.

Please seek the advice of a physician.

| Prevention | TICK BITES | EARLY LYME |
|---|---|--|
| <p>[Sophia Institute]</p> <p>Cistus incanus tincture: 2 dropperfuls 3x per day OR Cistus Tea 2 cups per day, slowly increasing to 8 cups per day.</p> <p>[Stephen Buhner] Astragalus 1,000mg per day. Not to be used if a Lyme infection is present.</p> | <p>[Buhner Protocol]</p> <p>Astragalus 3,000 mg. daily for 30 days, decreasing to 1,000 mg daily – indefinitely.</p> <p>Andrographis tincture + green clay. Mix together to make a paste and apply to the tick bite area.</p> | <p>[Buhner Protocol]</p> <p>Japanese Knotweed Tincture ¼ - 1 tsp 3-6x daily</p> <p>Cat's Claw Bark Tincture ¼-1/2 tsp 3x daily</p> <p>Andrographis Capsules begin small due to side effects. 600mg 3x day. If tolerated well increase to 2 capsules a 3x day.</p> <p>See website for further instructions: buhnerhealinglyme.com</p> |

Quick Lyme Facts

The CDC states that OVER 300,000 new cases of Lyme disease are diagnosed each year.

Testing misses more than 50% of active Lyme infections.

Prophylactic treatment using 200 mg of Doxy is ineffective.

A Lyme infection becomes chronic after 4 weeks of infection.

Bulls-eye rashes occur in only 25% of Lyme cases.

25% of Lyme infections may produce a rash of another kind. Dr. Richard Horowitz

A rash indicates infection and should be treated appropriately!

Ticks can transmit infection in less than 4 hours.

Late stage Lyme infections are often misdiagnosed as Fibromyalgia, Chronic Fatigue, MS, Arthritis, Lupus and other diseases.

Every tick bite can transmit disease.